

# SWING ST0531



14+



**1 kids**







**< 200 kg**



**24,6 m2**

|                                |                                                                                     |
|--------------------------------|-------------------------------------------------------------------------------------|
| Length                         | 290 cm                                                                              |
| Width                          | 150 cm                                                                              |
| Total height                   | 120 cm                                                                              |
| Age group                      | 14+ years                                                                           |
| Number of users                | 1 kids                                                                              |
| Maximum weight of user         | 200 kg                                                                              |
| Safety zone                    | 24,6 m2                                                                             |
| Free fall height               | <60 cm                                                                              |
| The height of the platforms    | 14 cm                                                                               |
| In accordance with norm EN     | 16630:2015                                                                          |
| Weight of the heaviest part    | 43 kg                                                                               |
| Dimensions of the largest part | 221x28x123 cm                                                                       |
| Availability of spare parts    | YES                                                                                 |
| Color options                  |  |

Data is subject to change without prior notice.



VAT: 534-265-18-84  
PHONE: +48 42 203 24 99 ext. 26  
M: +48 793 404 991

11/08/2025

biuro@vinci-play.com  
info@vinci-play.com  
**www.vinci-play.com**



## Material specification




Platforms made of durable anti-slip and waterproof HPL plate,



Stainless steel handrails,



Moving elements based on bearings mechanism closed in casing, which do not require periodic greasing and maintenance, ensuring long service life of the device,



Screws covered with plastic caps and/or stainless steel screws,

## Additional information

- equipment adapted for the disabled; device intended for public outdoor gyms;
- when installing the device in the playground, additional fence is obligatory;
- an easily visible information board about compliance with the PN-EN 16630: 2015-06 standard should be provided near the device;
- no sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- anchoring on flat surface, 5 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

## Guarantee

30

30 year guarantee - Durability of steel and stainless steel structural elements

15

15 year guarantee - Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements

10

10 year guarantee - Structural strength of HDPE, 100% recycled HDPE and HPL elements; structural elements made of 100% recycled material (composite)

5

5 year guarantee - Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements

Detailed information in the guarantee card  
biuro@vinci-play.com  
info@vinci-play.com  
[www.vinci-play.com](http://www.vinci-play.com)



**Vinci Sp. z o.o.**  
Seminarna 9 Street  
99-400 Łowicz


VAT: 534-265-18-84  
PHONE: +48 42 203 24 99 ext. 26  
M: +48 793 404 991

# Amount of safe surface corresponding with free fall height:

|                                                 |                     |
|-------------------------------------------------|---------------------|
| HIC <60                                         | 24,6 m <sup>2</sup> |
| Data is subject to change without prior notice. |                     |

# Surfaces according to EN 16630:2015

|                                                  | Description (mm)               | Layer thickness (cm) | Maximum fall height (cm) |
|--------------------------------------------------|--------------------------------|----------------------|--------------------------|
| Concrete / stone / bituminous surfaces (A, B, C) | -                              | -                    | ≤100                     |
| outer soil layer (A,B,C)                         | -                              | -                    | ≤120                     |
| Turf (A,B,C)                                     | -                              | -                    | ≤150                     |
| bark (A,C)                                       | Particle size from 20 to 80    | 30                   | ≤200                     |
|                                                  |                                | 40                   | ≤300                     |
| wood shavings/cuttings (A, C)                    | Particle size from 5 to 30     | 30                   | ≤200                     |
|                                                  |                                | 40                   | ≤300                     |
| sand (A,C)                                       | Particle size from 0,2 to 2 mm | 30                   | ≤200                     |
|                                                  |                                | 40                   | ≤300                     |
| gravel (A,C)                                     | Particle size from 2 to 8      | 30                   | ≤200                     |
|                                                  |                                | 40                   | ≤300                     |
| attested synthetic (A, B, C)                     | Tested according to EN 1177    |                      | <60                      |



**Vinci Sp. z o.o.**  
Seminaryjna 9 Street  
99-400 Łowicz

VAT: 534-265-18-84  
PHONE: +48 42 203 24 99 ext. 26  
M: +48 793 404 991



biuro@vinci-play.com  
info@vinci-play.com  
[www.vinci-play.com](http://www.vinci-play.com)